POLLING PLACE SET-UP

September 30, 2020

PRESENTERS

- Brianna Hanson, Wisconsin Elections Commission
- Richard Rydecki, Wisconsin Elections Commission
- Denise Jess, Wisconsin Council of the Blind and Visually Impaired
- Jason Beloungy, Access to Independence
- Barbara Beckert, Disability Rights Wisconsin

WHY ACCESSIBILITY MATTERS

- Ensuring everyone is able to vote privately and independently.
- It is crucial we eliminate as many barriers to voting as possible.
- All polling places are required to be accessible for people with disabilities (Wis. Stat. s. 5.25(4)(a)).



COMMON ISSUES


- Accessible voting equipment is not set-up.
- Entrance is not accessible.
- Curbside voting procedures are not in place.
- Signage is unclear and/or missing.
- Poll workers are not properly trained on accommodations or voting equipment.
- COVID-19 Procedures, such as wearing masks, or 6' social distancing line markers, may make the polling place inaccessible for voters.

PARKING LOT


Number of Spaces	Van- Accessible Spaces	Regular Accessible Spaces
1-25	1	0
26-50	1	1
51-75	1	2
75-100	1	3

- Firm, stable, and slip-resistant surface (concrete, cement)
- Parking Spaces Width and Presence of Accessible Aisle
 - Van-Accessible Spaces must be 8' wide with 8' aisle
 - Regular Accessible Spaces must be 8' wide with 5' aisle
- Overhead Clearance
 - Must have 8' 2" of unobstructed vertical clearance
- Proper Signage
 - Has international symbol of accessibility
 - Is between 60" and 80" high
- Near the accessible entrance
- Kept clear of snow, leaves, or other obstacles.

PARKING SPACES WIDTH AND ACCESS AISLE



QUICK FIX: CREATING ACCESSIBLE PARKING



Three standard parking spaces are converted into an accessible parking space with an access aisle. Cones mark the access aisle and a temporary curb ramp with edge protection connects to an accessible route to the polling place.


QUICK FIX: SIGN TOO LOW







GOOD EXAMPLE



CURBSIDE VOTING

- You must have a plan in place to conduct curbside voting. You can use:
 - A sign with a phone number to call.
 - "Honk for Curbside" sign (if you'll be able to hear when a voter honks).
 - A greeter located outside with a specific area marked off for curbside voting.



PATHWAYS

- At least 36" wide.
- Free from obstacles including snow and ice.
- On firm, stable, and slip-resistant surface (concrete, cement, black top).
- Free from protruding objects between 27" and 80" from the ground (flags).
- Well-lit when necessary.
- Marked with an accessible sign (if the accessible pathway is different from the main path).
- Free from cracks or changes in level over ½".


COMMON PROBLEMS





ACCESSIBLE ENTRANCE

- Marked with an accessible entrance sign.
- Does NOT have a doorknob (has a handle, pull, bar, lever, or automatic opener).
- Has an accessible way to open the door (automatic opener or doorbell for voters to ring).
- The threshold is less than ½" or has a threshold ramp.





INTERIOR ROUTES

- Routes are clearly marked with signs if different than the main route.
- Free from obstacles, such as cones or chairs.
- Free from low-hanging objects and items protruding from the wall (such as award cases and water fountains).
- Interior doors are propped open on Election Day.
- Rugs and mats are secured or removed.
- Elevators or wheelchair lifts are operational on Election Day.

COMMON PROBLEMS






VOTING AREA

- All paths are at least 36" wide.
- There is at least one accessible voting booth.
- All voting booths are set up to ensure privacy.
- All voting booths are set up in the same room.



ACCESSIBLE VOTING BOOTH

- 1. Minimum 30-inch wide entrance.
- 2. Knee clearance from floor to underside at least 27 inches.
- 3. Height of the top of booth/table between 28 and 34 inches.
- 4. Knee/toe clearance from the front to back of the booth at least 17 inches.





THE ACCESSIBLE VOTING BOOTH MUST BE IN THE SAME AREA AS OTHER VOTING BOOTHS.

PUTTING UP REQUIRED NOTICES


- Required notices are posted properly in at least size 18 font:
 - Type B
 - Type C
 - Type D
 - EL-111
 - EI-115
 - EL-117
 - EL-118
 - Ward Maps
 - Sample Ballots (2 of each)

ACCESSIBLE VOTING EQUIPMENT

- Set Up (including headphone and tactile devices).
 - We recommend multiple sets of headphone or using headphones that are easy to sanitize.
- Powered on.
- Working (tested by a poll worker).
- Located in the main area and visible to voters entering the space.
- Ensures voter privacy.

TABLE OR BOOTH REQUIREMENTS

- 1. Minimum 30" x 48" wide entrance for wheelchair accessibility.
- 2. Knee clearance from floor to underside at least 27".
- 3. Height of the top of booth/table between 28" and 34".
- Knee/toe clearance from the front to back of the booth at least 17".



INTERACTIONS WITH VOTERS

- Poll workers are trained properly on:
 - Reasonable accommodations
 - Voting Equipment
 - Assistant process
 - State your Name and Address requirement
- Be considerate of extra time it may take someone with a disability or an elderly voter to go through the entire voting process. Give them unhurried attention.
- Speak directly to the person with a disability, rather than a companion or assistant.
- Offer assistance to the voter before pushing their wheelchair or grabbing their arm.
- If a voter asks for help filling out their ballot, assist them.

OTHER ACCOMMODATIONS

- Use plexiglass dividers or clear masks when working with a voter that is deaf or hard of hearing.
- Communication cards or pens/paper are available.
- Signature guides, page magnifiers, and reading lights are available for voters.
- Prepare a few large print ballots.
- Extra seating is available for voters in line.




RESOURCES

- New Polling Place Accessibility Survey: <u>elections.wi.gov/clerks/guidance/accessibility/new-polling-place</u>
- Election Day Accessibility Checklist: elections.wi.gov/clerks/guidance/accessibility/polling-place-setup

SUPPLY PROGRAM

elections.wi.gov/clerks/guidance/accessibility/new-polling-place

VAN	Van-Accessible sign, 6" x 12"
ACCESSIBLE	Window Decal, 6" x 6"
	Signature Guide, 5" x 8" total.
	Typoscope cutout 5/8" x 6"
	Signature cutout 1/2" x 2 ½ "
	Signature Guide, Credit Card sized, 2.12"x3.37" total
	Page Magnifier, 7" x 10"



WI DISABILITY VOTE COALITION



- **DRW Voter Hotline**: 844-DIS-VOTE/ 844-347-8683
- Email: info@disabilityvote.org
- Disability Vote Coalition: Videos, fact sheets, posters, e-newsletter, and other resources for voters with disabilities <u>disabilityvote.org/</u>
- Facebook: www.facebook.com/wisconsindisabilityvote/

DISABILITY RIGHTS WISCONSIN (DRW)

 DRW Voter Hotline: 844-DIS-VOTE/ 844-347-8683

Email: info@disabilityvote.org

https://www.disabilityrightswi.org/

Facebook:
 https://www.facebook.com/DisabilityRights
 WI/




ACCESS TO INDEPENDENCE



Phone: 608-242-8484

Email: info@accesstoind.org

Website: www.accesstoind.org



- 1. North Country Independent Living
- 2. Center for Independent Living for Western Wisconsin
- 3. Midstate Independent Living Choices
- 4. Independent Living Resources

- 5. Options for Independent Living
- 6. Access to Independence
- 7. IndependenceFirst
- 8. Society's Assets

INDEPENDENT LIVING CENTERS

https://www.dhs.wisconsin.gov/publications/p02357.pdf

WI COUNCIL OF THE BLIND & VISUALLY IMPAIRED

Phone: Toll Free: (800) 783-5213

(608) 255-1166

Email: info@WCBlind.org

Website: https://wcblind.org/

Facebook: https://www.facebook.com/WCBlind

Instagram: @wcblind

Twitter: @TheCouncilWI



QUESTIONS?